



IMG Stageline CD154 CD player

Professional CD player

- Double suspended, dampened player mechanism
- Title programming, repeat function (repeat 1, repeat all), random replay, standard operating functions
- Adjustable headphone output
- Infrared remote control with direct title selection
- 482mm (19") rack installation with supplied mounting brackets, 2RS (rack spaces)
- Audio CD/CD-R

Frequency response	20-20,000Hz
THD	< 0.1%
Channel separation	> 80dB
Dynamic range	> 90dB
S/N ratio	> 80dB
Wow and flutter	not measurable, quartz-precision
Output, analogue	2V
Power supply	230vAC/50Hz/13VA
Dimensions	420x90x285mm, 2u
Weight	3.5kg



IMG Stageline CD164 CD player

Professional CD player

- Pitch control $\pm 16\%$
- Pitch bending
- Manual beat counter
- Automatic cue
- Search buttons, CUE button, fader start
- Reproduction of a single track or all tracks
- Switchable display of playing time of a single track/total tracks as well as the remaining playing time of one or all tracks
- Digital output (coaxial)
- Audio CD/CD-R

Frequency response	20-20,000Hz
THD	< 0.1%
Channel separation	> 80dB
Dynamic range	> 90dB
S/N ratio	> 80dB
Wow and flutter	not measurable, quartz-precision
Output, analogue	2V
Output, digital	0.5Vpp, S/PDIF
Power supply	230vAC/50Hz/15VA
Admiss. ambient temp.	0-40 °C
Dimensions	482 x 90 x 260mm, 2u
Weight	4.2kg
Analogue output	2 x RCA phono
Digital output	1 x RCA phono
Fader start	1 x 3.5mm jack



IMG Stageline CD194 professional pitch control CD player

Professional DJ CD player and MP3 player with "anti-shock system", "seamless loop" and remote control

- Safe operation also in darkness due to high-quality rubber buttons with colour illumination
- Pitch control $\pm 8/\pm 16\%$
- Pitch bending
- Search function via jog dial
- Relay play function
- Bop (stutter effect)
- Outro function
- Title programming for 30 tracks
- Numerical track input
- Sleep mode
- Skip of 10 tracks
- Smallest search step: 1 frame
- Automatic or manual beat counter, switchable
- Switchable display of playing time of a single track, remaining playing time etc.
- Bar graph display
- Quick start (automatic cue), fader start
- Digital output, coaxial
- 482mm (19") rack installation
- Supplied with infrared remote control
- Audio CD/CD-R/MP3 CD

Frequency response	20-20,000Hz
THD	< 0.1%
Channel separation	> 70dB
Dynamic range	> 70dB
S/N ratio	> 70dB
Wow and flutter	not measurable, quartz-precision
Output – analogue	2V
Output – digital	0.5Vpp S/PDIF
Power supply	230Vv AC / 50Hz / 15VA
Admiss. ambient temp.	0-40 °C
Dimensions	482x90x270mm, 2RS
Weight	4.2kg
Analog output	2 x RCA L/R
Digital output	1 x RCA
Fader start	1 x 3.5mm jack

CITRONIC



CITRONIC 170.639 (silver) & 170.640 (black) – CD-2S top load CD player with pitch control

This single CD-player is designed to compliment our smaller mixers. Today's market demands the need for both entry level CD-players as well as turntables, the CD-S2 fits into this category perfectly, as it has all the features required for the mix DJ on a budget.

- Single table top CD-player
- $\pm 8, 12, 16\%$ pitch shift selectable
- Pitch lock
- Pitch bend buttons
- Full cue editing facilities
- Track search & skip buttons
- Digital output
- Single/continuous play
- Elapsed/total/remain time display
- Top loading
- Reads CD-R and CD-RW discs
- Power supply 115/230Vac, 50Hz (15W)
- Dimensions 274 x 216 x 87mm
- Weight 1.67kg